



ABOVE-GROUND SLATTED COVER

## CF PURE SERIE

The elegant above-ground pool cover  
with a unique design



# ABOVE-GROUND AUTOMATIC SLATTED COVER

## CF PURE SERIE

The CF Pure Serie above-ground slatted pool cover is distinguished by its delicate silhouette, two-tone finish, and unique patterns. Designed for modern environments, it is the ideal choice for those seeking a contemporary and sophisticated product with a touch of uniqueness.

The CF Pure Serie is intended for rectangular in-ground pools (maximum corner radius of 20 cm) measuring from 2.00 x 3.00 m to 5.00 x 10.00 m (including steps).



### + products

**Discreet** with a compact footprint.

**Unique design** that complements various environments.


**Sustainable** with its end-stands made from recycled materials that are 100% recyclable.



### Slats



- 69 mm slats with a polished finish for an attractive cover and compact roll-up.
- Complies with the NF P90-308 standard.
- Environmental efficiency class B (NF EN 17645): thermal insulation and evaporation prevention.
- Opaque PVC slats reduce water treatment needs.
- UV-resistant, stain-resistant, and designed for long-lasting durability.
- Lead-free and compliant with European REACH regulation.
- Available in four colours to match your home.



White



Grey



Beige



Blue

## RESPONSIBLE APPROACH

Concerned about the environmental impact of our products, we have designed the base of our CF Pure Serie cover to have the smallest possible footprint. The end-stand is crafted from locally sourced materials made from recycled products, with all our suppliers being French and located within 200 km from our factory.


## SAVINGS ALL YEAR-ROUND

By covering your pool completely with a cover, you can greatly reduce water evaporation (up to 99% when the cover is on), and therefore save on water consumption as well as limit the need for pool heating.

The cover protects your pool from debris and UV, reducing maintenance needs compared to an uncovered pool. This means savings on electricity (for filtration, cleaning robots, etc.) and chemical water treatments.

## SAFETY DEVICE

CF Pure Serie above-ground automatic slatted cover complies with the French NF P90-308 safety standard, ensuring peace of mind for your family's enjoyment.



### SOPHISTICATED DESIGN

The textured matte-white front with its singular decorations combines perfectly with the matte-black base, for a end-stand whose design truly stands out from the rest.



### HIGH RESISTANCE

Available in an electric version, it features a 12-volt motor with a longer lifetime thanks to the bearings that support the tube and therefore the weight of the cover



### SAFETY

The slats of the cover, combined with the Pushlock kits attached to the cover and the two pool widths, ensure secure access to the pool. Choose the Pushlock colour that best matches your pool's coating, as well as the most suitable fixing option from the surface mount, flat hanging or top hanging mount versions.




### RENEWABLE MATERIALS

This cover is made from recycled and fully recyclable materials. The base of the end-stands is composed of polypropylene (30% glass fibre and 70% recycled materials), while the front of the end-stands and the tube are made entirely of aluminium.



### EASILY CONTROLLED WITH A CLICK (OPTION)

The cover is operated as standard with a key switch button, and you can also choose the option to open and/or close the cover with a single click via the LivePool Cover app.



White



Beige



Blue



Light grey



Dark grey



Argile green







## Ivernea & Ivernea Plus

Protect your slats from UV and dirt with the Ivernea winter shift or the Ivernea Plus four-season protection shift.

### Read carefully and keep for future reference.

The CF Pure Serie above-ground automatic slatted cover is a swimming pool safety cover designed to prevent children under 5 years of age from accessing the pool. This product complies with the standard NF P90-308. It is no substitute for common sense or individual responsibility. It is not intended either to be a substitute for parental and/or adult supervision, which is the essential factor for the protection of young children. A child can get drowned within less than 3 minutes; no type of protection will ever replace the vigilance and supervision of responsible adults.

**Warranty:** 2 years for the reel system and 2 years for the motor. 3 years for opaque PVC 69 slats, in accordance with our general sales terms.

**Order form:** to have a cover correctly adjusted to the pool, it is essential to provide a drawing of the pool with measurements taken every 1 meter. In accordance with the standard NF P90-308, the gap between the inside of the pool and the edge of the cover must be less than 70 mm.

**Operating time:** for a pool of 5.00 x 10.00 m and depending on the power of your motor: 3 minutes for the automatic opening or closing and 30 seconds for the locking or unlocking of the safety kits. One person only can do the opening and closing of the CF Pure Serie above-ground automatic slatted cover.

**Use:** for all seasons. For a proper functioning, maintain a constant water level corresponding to a normal filtration of the pool. It is essential to have a water level regulator. The water level have to comply with the technical notice.

**Use limits:** the installation of an automatic CF cover on overflow pools and/or with a stair along the length (detachable side stair) does not comply with the standard NF P90-308. Another safety device should be used in that case. Unless otherwise specified by the manufacturer, under water alarms are not compatible with CF covers.

**Wintering:** the swimming pool must be wintered on the basis of its geographical location. Without lowering the water level, close the cover to its safety position and where applicable install a wintering net to protect the cover. If the water level is lowered so that the wall units are above the waterline, roll the cover in and secure the pool using a winter safety cover.

**Packing list:** for a swimming pool measuring 5.00 x 10.00 m.

• Slats: 5 packages: 5.10 x 0.25 x 0.20 m - 250 kg

• Tube: 1 package: 5.30 x 0.20 x 0.20 m - 30 kg

• End-stands: 1 pallet: 0.50 x 0.45 x 0.35 m - 20 kg

Total weight: 300 kg.

**Manufacturer:** DEL SAS - ZA La Croix Rouge - 35530 Brécé - FRANCE

[cf-poolproducts.com](http://cf-poolproducts.com)

a brand by CF group

