



ABOVE-GROUND AUTOMATIC COVER

CF PURE SERIE

The elegant above-ground pool cover with a unique design



ABOVE-GROUND AUTOMATIC SLATTED COVER

CF PURE SERIE

Let yourself be charmed by its refined silhouette, two-tone finish, and distinctive design details. The CF Pure Series above-ground cover is the perfect choice for those seeking **a contemporary, sophisticated look with a unique twist**.

Available in three trendy end-stands colours and a wide range of slat types and finishes, it can be tailored to suit all preferences.

The CF Pure Series is designed for **in-ground pools** (with a maximum corner radius of 20 cm), from $2.00 \times 3.00 \text{ m}$ up to $5.00 \times 10.00 \text{ m}$, (inculding stairs).



+ products

A unique design combining elegance and a compact footprint.

Durable, with end-stands made from **recycled** and **recyclable materials**.

Easy installation thanks to the Plug & Start electrical control box.


















A COMMITTED APPROACH

Because we care about the environmental impact of our products, we specifically designed the end-stand of our CF Pure Serie above-ground cover to keep its footprint as low as possible. The end-stand is made using **locally sourced materials**, in fact, 100% of our suppliers are French and located within 200 km of our manufacturing site in Brittany.

SAVINGS ALL YEAR ROUND

By fully covering your pool with an automatic cover, you can significantly reduce **water** evaporation (by up to 99% when the cover is closed) and therefore lower both water consumption and heating needs. Protected from debris and UV rays all year round, your pool, equipped with the CF Pure Serie cover and its opaque PVC or solar polycarbonate slats in Absolute Black, Crystal Black or Silver, will require less frequent cleaning. That means energy savings (filtration, pool cleaners...) and reduced use of **water treatment chemicals**. By choosing solar polycarbonate slats in one of the seven colors we offer, you also benefit from energy savings thanks to solar heating.

SAFETY FIRST

The CF Pure Serie above-ground cover complies with the French safety standard **NF P90-308** for private in-ground pools, giving you greater peace of mind when enjoying family time around the pool.

PLUG & START CONTROL BOX 1

Featuring a power socket, external connectors and front-facing controls, this electrical unit is quick and easy to install without needing to access the inside – ensuring maximum safety during installation. As an option, this control box includes the Stop Salt function, allowing the chlorinator to reduce treatment when the Serie Pure cover is closed.







Choose from 3 support post colours:







Anthracite grey & black



HIGH DURABILITY

The CF Pure Serie above-ground cover features a low-voltage electric motor known for its reliability. Its longevity is enhanced by specially designed bearings that support the shaft and the weight of the cover, reducing wear over time.



REFINED AESTHETICS

The front panel is coated with a matte, textured-effect paint, available in three colours: white, grey, and anthracite grey. Its elegant decorative details give it a distinctive feature that truly stands out apart from other covers.




SAFETY

The cover slats, combined with Pushlock kits attached to both the cover and the walls on the width, ensure secured access to the pool. Choose the Pushlock colour that best matches your pool lining, as well as the most suitable fastening option: surface mounted, hanging mount or high-hanging mount.



SUSTAINABLE MATERIALS

This cover is made using recycled and fully recyclable materials. The base of the support posts is composed of polypropylene (30% glass fiber and 70% recycled materials), while the front panel of the and-stands and the tube are made entirely of aluminum.





CONTROLLED WITH A SINGLE CLICK (optional)

The cover is operated as standard using a key switch. You can also choose the optional feature to open and/or close the cover with a single click from your smartphone via the LivePool Cover app.

The slats of the pool cover

The slats of the CF Pure Serie cover, 69 mm wide and crafted with a refined finish, ensure easy installation and replacement, along with a flawless appearance.

They comply with the NF P90-308 safety standard, are lead-free, and meet the requirements of the European REACH regulation.

Their long lifespan is guaranteed thanks to their UV protection treatment and resistance to stains and organic buildup.



Find your ideal slat:

OPAQUE PVC SLATS

- Their opacity limits photosynthesis, helping to prevent algae growth and reducing the need for water treatment.
- Environmental efficiency rating: Class B (NF EN 17645) excellent thermal insulation and evaporation control.
- 3-year warranty.







SOLAR POLYCARBONATE SLATS

- · These act as genuine solar collectors, warming the water, providing insulation, and reducing evaporation.
- Environmental efficiency rating: Class A (NF EN 17645) superior thermal insulation and evaporation control.
- Hail-resistant with by a 5-year warranty.



Absolute black³



Silver* Crystal















^{*} Opaque, they offer the same anti-photosynthesis benefits as opaque PVC slats, with the added advantage of heat absorption.





Ivernea & Ivernea Plus

Protect your cover slats from UV rays and dirt with the Ivernea winter sheet or the Ivernea Plus four-season protective sheet.

Please read carefully and keep for future reference.

The CF Pure Serie above-ground cover is a safety device designed to prevent children under ${\bf 5}$ years old from accessing the pool. This product complies with the NF P90-308 safety standard. It does not replace common sense or individual responsibility. It is not intended to substitute the vigilance of parents or responsible adults, which remains the essential factor in protecting young children. A child can drown in less than 3 minutes; no type of protection can ever replace the supervision and attentiveness of a responsible adult.

Warranty: 2 years on the roller and motor. 69 mm opaque PVC slats are guaranteed for 3 years, and solar polycarbonate slats for 5 years, in accordance with our general terms and conditions

Order form: To ensure the cover is properly adjusted to the pool, it is essential to provide a drawing of the pool measured every meter. According to French standard NF P90-308, the gap between the inner walls of the pool and the cover must be less than 70 mm.

Operation time: For a 5.00 x 10.00 m pool: 3 minutes to fully open or close the cover automatically, and 30 seconds to lock or unlock the safety kits. The CF Pure Series cover can be operated by a single person.

Usage: Suitable for all seasons. For proper operation, maintain a constant water level corresponding to normal pool filtration. A water level regulator is essential. The water level must comply with the installation manual.

Limitations: CF covers for overflow pools are only compliant if the pool is equipped with an Limitations: CF covers for overnow pools are only compliant in the pool is equipped with an automatic water level lowering device, such as the Infinity control box, which lowers the water level by at least 2 cm when the cover is closed. Currently, CF covers with removable shapes on a side staircase are not compliant with NF P90-308. Unless otherwise specified by the manufacturer, immersion alarms are not compatible with CF covers.

Wintering: Wintering the pool is mandatory depending on your geographic location. Without lowering the water level, close the cover in the safety position and optionally install a mesh winter cover net to protect the cover. If lowering the water level is necessary to keep fittings above water, roll up the cover and secure the pool with a safety winter cover.

Packaging: for a 5.00 x 10.00 m pool:

- Slats: 5 packages measuring 5.10 x 0.25 x 0.20 m 250 kg Tube: 1 package measuring 5.30 x 0.20 x 0.20 m 30 kg
- Mechanism: 1 pallet measuring 0.50 x 0.45 x 0.35 m 20 kg Total weight: 300 kg.

Manufacturer: DEL SAS - ZA La Croix Rouge - 35530 Brécé - FRANCE

cf-poolproducts.com

a brand by CF group

DEL SAS with a share capital of 2 300 000 € - RCS 303355671 Rennes - ZA La Croix Rouge - 35530 Brécé - FRANCE • Non-binding document • © DEL SAS, Studio S2O, Arnaud Bertrande, Cedric Stoecklin, Nah Studio • Do not throw away • 07 /25 • A-DBRO12207.L1



